



Projector ceiling mounts

Vogel's offers a complete range of projector ceiling mounts. These projector mounts are especially designed for the latest generation projectors weighing up to 30 kg. The range includes basic projector ceiling mounts and height adjustable kits with telescopic poles.

Universal projector interface

All mounts come with a universal projector interface. This projector interface is equipped with fine-tune adjustability for precise alignment to the projection surface. Once aligned, the projector stays in position. Turning the unique friction ring will eliminate all play from the interface connections, making the mount a solid and very stable solution.

Height adjustable projector ceiling mount kits

The height adjustable projector ceiling mount kits can be used when the height of the ceiling is not known or when flexibility is required. These mounts come in three lengths offering variable height adjustment from 400 to 1350 mm. This range of projector ceiling mounts is suitable for mounting to flat and inclined ceilings up to 90°. The CIS® Cable Inlay System runs the full length of the pole and even allows for cable routing after installation. This inlay system offers sufficient space for all cables and enables you to hide these in a matter of seconds.

PROJECTOR
MOUNTS

PPC 1500

Projector ceiling mount



PPC 2500

Projector ceiling mount



Specifications



Max. weight load (kg)	20	30
Range (diameter)	30 - 337 mm	30 - 410 mm
Min. distance to ceiling (mm)	124	124
Max. distance to ceiling (mm)	124	124
Tilt	Tilt up to 15°	Tilt up to 15°

Guarantee

TÜV certified		
Guarantee	5 years	5 years

General

Colour	Silver White	Silver
Article number	7015014 (Silver) 7015001 (White)	7025004
EAN single box	8712285325069 (Silver) 8712285325144 (White)	8712285325229



PROJECTOR MOUNTS

PPC 1540

Projector ceiling mount



PPC 1555

Projector ceiling mount



Specifications



Max. weight load (kg)	20	20
Range (diameter)	30 - 337 mm	30 - 337 mm
Min. distance to ceiling (mm)	400	550
Max. distance to ceiling (mm)	550	850
Tilt	Tilt up to 15°	Tilt up to 15°

Guarantee

TÜV certified		
Guarantee	5 years	5 years

General

Colour	Silver White	Silver White
Article number	7015404 (Silver) 7015401 (White)	7015554 (Silver) 7015551 (White)
EAN single box	8712285325083 (Silver) 8712285325168 (White)	8712285325106 (Silver) 8712285325182 (White)



PPC 1585

Projector ceiling mount



20

30 - 337 mm

850

1350

Tilt up to 15°



5 years


Silver | White

7015854 (Silver)

7015851 (White)

8712285325120 (Silver)

8712285325205 (White)



PPC 2540

Projector ceiling mount



30

30 - 410 mm

400

550

Tilt up to 15°




5 years

Silver

7025404

8712285325243



PPC 2555

Projector ceiling mount



30

30 - 410 mm

550

850

Tilt up to 15°




5 years

Silver

7025554

8712285325267



PROJECTOR
MOUNTS

PPC 2585

Projector ceiling mount



Specifications

Max. weight load (kg)	30
Range (diameter)	30 - 410 mm
Min. distance to ceiling (mm)	850
Max. distance to ceiling (mm)	1350
Tilt	Tilt up to 15°

Guarantee

TÜV certified	
Guarantee	5 years

General

Colour	Silver
Article number	7025854
EAN single box	8712285325281

